

PCC Safety Guidelines for Exhibitors

ALL BOOTHS:

- A. A ladder up to 6ft may be used in accordance with the manufacturer guidelines.
- B. Battery operated power tools can be used. Power actuated tools such as Hilt guns and gas filled nailers may not be used under any circumstances.
- C. Accessing floor ports in exhibit halls is strictly prohibited.
- D. The use of gasoline powered equipment is not permitted.
- E. Generators are prohibited.
- F. Vehicle batteries shall be disconnected and reconnected by electricians regardless of booth size.
- G. Rigging of heavy objects is not permitted. Riggers would be required for such work.
- H. The use of safety protection is required when needed, such as safety glasses, gloves, etc.
- I. The use of hoists will not be permitted.
- J. The use of a device with an open flame, such as a propane torch, is prohibited.
- K. Lasers, rotating or still, shall not be permitted.
- L. No smoking shall be permitted inside the facility-including electronic cigarettes.
- M. Exhibit booths or displays may not block fire equipment. Columns, electrical closets, and electrical panels must be accessible.
- N. All electrical cords run across the show floor or under carpet will be installed by PCC Electricians regardless of booth size.
- O. In all booths (including booths less than 600 sq/ft.) where an Exhibitor Appointed Contractor (EAC) or General Service Contractor is utilized, electricians will install all light fixtures, lit signage, and all other work deemed as electrical jurisdiction.
- P. Lead acid batteries may not be used for power in any booth.
- Q. Small air compressors that are not part of equipment (separate unit) are prohibited from use on the show floor. An order for Compressed Air is required through Exhibitor Services Department.
- S. The use of restroom sinks to fill and drain tanks, pots, buckets, etc. in exhibit halls is prohibited. An order for Water Fill & Drain is required through Exhibitor Services Department.
- T. Dumping of any type of liquids into restroom sinks, toilets or exhibit hall floor ports is strictly prohibited.

